

CERTIFICATE OF ANALYSIS

| Product name: | L-Glutathione Reduced | | |
|--------------------|---------------------------------------------------------------|------------------|---------------|
| CAS No: | 70-18-8 | Standard: | USP |
| Batch Number: | 20220618 | Manuf. Date: | Jun, 18, 2022 |
| Quantity: | 15.5kg | Expiration Date: | Jun, 17, 2024 |
| Storage Condition: | Preserve in tight containers at controlled room temperature . | | |

| TEST ITEM | | SPECIFICATION | RESULTS | |
|------------------------|-------------------|-------------------------------------|--------------------------|--|
| Description | | White crystalline powder | White crystalline powder | |
| Appearance of solution | | Clear and colorless | Clear and colorless | |
| Identification | IR | Similar with the Reference Spectrum | Conforms | |
| | OR | -15.5° ~17.5° | -15.9° | |
| Heavy metals | | ≤10ppm | Conforms | |
| Arsenic | | ≤2ppm | Conforms | |
| Iron | | ≤10ppm | Conforms | |
| Sulfate | | ≤300ppm | Conforms | |
| Ammonium | | ≤200ppm | Conforms | |
| Cadmium | | ≤1ppm | Conforms | |
| Lead | | ≤3ppm | Conforms | |
| Mercury | | ≤1ppm | Conforms | |
| Residue on ignition | | ≤0.1% | Conforms | |
| Loss on drying | | ≤0.5% | 0.2% | |
| Related | Total impurities | ≤2.0% | 1.2% | |
| substances | GSSG | ≤1.5% | 0.2% | |
| Microbiology | Total Plate Count | ≤1000cfu/g | Conforms | |
| | Yeast & Mold | ≤100cfu/g | Conforms | |
| | Coliforms | ≤30cfu/g | Conforms | |
| | E.Coli | Negative/10g | Negative | |
| | S.aureus | Negative/10g | Negative | |
| | Salmonella | Negative/10 technique | Negative | |
| Assay | | 98.0% 108.0% | 99.7% | |
| Conclusion: | | Conform with USP Standard. | | |

Tested by: Tiantian Wang

Inspection Approved by: Liu YuLian

